




ideal lux | Led Panel




| | |
|------------------|-----------------------|
| Code | 249728 |
| Item name | LED PANEL 4000K CRI80 |
| Source | LED SMD |
| Power | 38,5W |
| Driver included | ON/OFF |
| Driver available | 1-10V DALI/PUSH |
| Lumen | 3950 Lm |
| MacAdam | SDCM \leq 4 |
| Beam | 81° |
| CCT | 4000K |
| CRI | \geq 80 |
| UGR | <19 |
| LED Life | 25.000 h |
| Insulation class | Class II |
| IP | 20 |
| Material | Aluminum |
| Warranty | 5 years |
| Net Weight | 2,200 Kg |
| Volume | 0,0144 m ³ |
| Base / Hole | 52,5 x 52,5 cm |



ideal lux | Led Panel



| | |
|-----------|------------------------|
| Code | 247854 |
| Item name | LED PANEL DRIVER 1-10V |
| Power | 40W |
| Range | 850-1050 mA |
| Output | 1000 mA |
| Measure | 125 x 26 x 83 mm |




| | |
|-----------|-----------------------|
| Code | 247847 |
| Item name | LED PANEL DRIVER DALI |
| Power | 40W |
| Range | 550-1050 mA |
| Output | 1000 mA |
| Measure | 106 x 28 x 69 mm |

ideal lux | Led Panel



| | |
|---------------|-----------------------|
| Code | 244198 |
| Item name | LED PANEL KIT PENDANT |
| Ceiling cup | No |
| N° Cables | 4 |
| Cables length | 1000 mm |
| Finish | Grey |



| | |
|-----------|-----------------------|
| Code | 244204 |
| Item name | LED PANEL KIT SURFACE |
| Finish | Grey |