


LUCIDE



item number : 28112/30/30

EAN code : 5411212281128

item number : 28112/30/31

EAN code : 5411212281135

**CERES LED**


### General

**Dimensions LxWxH** : Ø21,5 cm x 4,6 cm  
**Height minimum** : 4,6 cm  
**Height maximum** : 4,6 cm  
**Dimensions shade LxWxH** : Ø 21,5cm x 0,92 cm  
**Main material** : Aluminum, PMMA,Plastic  
**Ceiling rose material** : -  
**Color** : Matt black&Matt white  
**Style** : Modern  
**Shape** : Round  
**Weight** : 0,90 kg  
**Warranty** : 3 years

### Installation of items in bathroom:

### Product specifications

**Dimmable** : Yes  
**Light direction** : Around (Diffuse)  
**Adjustable in height** : Not adjustable In Height (Before Installation)  
**Directional** : 120°  
**Cable** : No Cable On Product  
**Cable length** : -  
**Sensor** : Without Sensor  
**Control** : Light Switch Control  
**IP-Class** : Recessed 66, Surface mounted 44  
**Electric class** : 2  
**Light source including ?** : Yes  
**Lamp socket** : No  
**Light source number** : 136pcs  
**Power requirements** : 220-240V~50Hz  
**Bulb type & maximum wattage** : SMD 2016 LED,30W



IP classifications	zone 0	zone 1 minimum	zone 2 minimum	zone 3 minimum

For more specifications of this product please visit [www.lucide.com](http://www.lucide.com)

LUCIDE


## CERES LED

Item number : 28112/30/30

EAN code : 5411212281128

Item number : 28112/30/31


EAN code : 5411212281135




For more specifications, dimensions please visit  
[www.lucide.com](http://www.lucide.com)

Surface mounted installation(IP44)  
 Opbouw montage(IP44)  
 Plafonnier(IP44)  
 Aufbaumontage(IP44)


①




②




③



④



Recessed installation(IP66)  
 Inbouw(IP66)  
 Installation encastrée(IP66)  
 Einbau(IP66)



Dit product bevat een lichtbron van energie-efficiëntieklasse G  
 Ce produit contient une source lumineuse de classe énergétique G  
 This product contains a light source of energy efficiency class G  
 Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse G  
 Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej G