

LUCIDE



**RECOMMENDED
LUCIDE LIGHT
SOURCE**

490 41/12/30

Light source dimmable :
Yes, Dim to warm

Light source incl. : Yes

General

Dimensions LxWxH : 28 cm x 12 cm x 20 cm

Height minimum : -

Height maximum : 20 cm

Dimensions shade LxWxH : cm x cm x cm

Main material : Steel+aluminium

Ceiling rose material : Steel

Color : Sandy black/Sandy white

Style : Modern

Shape : As shown

Weight : 1.7 kg

Warranty : 2 years

Product specifications

Dimmable : Yes

Light direction : Around (Head)

Adjustable in height :

Directional : 330/120 degree

Cable : Yes, Cable on product

Cable length : 15cm

Sensor : Without Sensor

Control: Light Switch Control

IP-Class : 20

Electric class : 1

Light source including ?: Yes

Lamp socket : GU10

Light source number : 2

Power requirements : 220-240V~50Hz

Bulb type & maximum wattage : GU10 max.12W

For more specifications of this product please visit
www.lucide.com

LUCIDE

TECHNICAL DRAWING & DIMENSIONS


TALA LED

Item number:31931/24/3

EAN code : 5411212315717

Item number:31931/24/31

EAN code : 5411212315724




For more specifications, dimensions please visit

www.lucide.com

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS



Dit product bevat een lichtbron van energie-efficiëntieklasse A.
 Ce produit contient une source lumineuse de classe énergétique A.
 This product contains a light source of energy efficiency class A.
 Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse A.
 Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej A.