
## Pobrano z mamadecor.pl

Lofoten 1943XX0012 23.07.2021 v.12.2 www.norlys.com







Type of luminaire			
Type of lumianire	Wall, arm-mounted luminaire.		
Photometric body	Uncovered light.		
Characteristics of the luminaire	A luminaire with a classic and simple design for general use. Perfect for lighting terraces, entrances, gazebos, and other architectural concepts. The luminaire can be installed as a wall lamp directed up or down. The luminaire can be mounted on the corners		
General information			
Materials	Galvanized and powder coated steel. Lens - safety glass, transparent.		
Mounting method	Fixing of the luminaire: 2 oval holes 5x10mm, spacing 35mm. Other accessories must be purchased separately		
Terminal	Connection terminals: max 2x2.5mm², possibility of connecting the luminaire in loops max 2x1.5mm². Round insulated cable with a diameter of ø7 10.5mm		
Type of light source	E27 lamp		
Net / gross weight of luminaire	4,15kg / 5,28kg		
Technical data			
Light source wattage	MAX 57W / LED 11W		
Ta Rated temperature	+25°C		
This product contains light source of energy efficiency class A+ D			
Accessories sold separately			
155XX0009	Mounting corner		
46999021	LED E27 lamp		
Recommended light sources			
Osram ECO PRO Classic 57<=>75W E27		Philips ECO Classic 53<=>75W E27	
Osram LED Parathom Classic / Retrofit E27		Philips Master LEDbulb / Classic / CorePro E27	
Files to download			
Manual			
Indexes			
Index			
maex	Color	RAL	

LOFOTEN 1943

**CE EAE** 220-240V 50-60Hz IP 44

E27









Before the installation, read the instructions attached to the luminaire. Due to the dynamic development of lighting technology, we provide additional information at the client's request. Information on recommended light sources based on manufacturers' data. We are not responsible for the completeness and the validity of the offer, therefore we refer to the applicable technical information of the manufacturers of light sources. Condensation, which may occur in the luminaires, is a natural phenomenon and does not deteriorate the quality of the luminaire