





Type of lumianire	Wall luminaire.
Photometric body	Light partly covered from the top.
Characteristics of the luminaire	Plafond type luminaire with modern design.
General information	
Materials	Powder painted aluminum cast. Lens - milky polycarbonate, UV stabilized. Silicone gasket. EPDM cable gland.
Mounting method	Fixing of the luminaire: 2 holes ø5,3mm, spacing 170x45mm.
Terminal	Connection terminals: max 3x2,5mm², possibility to connect luminaire in loop max 3x1,5mm². A round wire in the isolation with a diameter of ø710,5mm.
Type of light source	LED E27 lamp
Light control	Phase-dimming (TRIAC).
Net / gross weight of luminaire	1,75kg / 2,06kg
Box dimensions [cm]	27,5x27,5x15
Technical data	
E27 lamp	Philips Master LEDbulb A60 8,5W<=>60W E27
Light source wattage	LED 8,5W
Luminaire wattage	8,5W
Colour consistency (McAdam ellipse)	SDCM6
Colour rendering index CRI	80
Rated life time L70/B50 at 25°C	25 000h
Ta Rated temperature	+25°C
This product contains light source	of energy efficiency class A+
Spare parts	
06620003	Lens.
08550005	Gasket.
Files to download	
Manual	
Indexes	
Index	Color RAL
615B	BLACK 9005
615W	WHITE 9003

Pobrano z mamadecor.pl

Berlin 615XX0012 23.07.2021 v.12.7 www.norlys.com

Norlys AS P.B 1014 Hoff, 0218 Oslo Hovfaret 4B, 0275 Oslo Norway +47 24 12 40 11 firmapost@norlys.no





Please read the manual before installing. Due to the dynamic development of lighting technology, additional information is available upon request. LED module must be replaced by a qualified person in accordance with applicable regulations. Condensation, which can occur in luminaires, is a natural phenomenon and does not impair the quality of the luminaire.