Pobrano z mamadecor.pl

Firenze 820XX0309 23.07.2021 v.09.1 www.norlys.com



270

135°

120

105

90

75

60

cd/kim C0 - C180

C90 - C270

150°

165°

180

140 120 100

80 60

40

165°

15°

30

150°

820

Max.2560 Min.1930

135°

120°

105°


90°

60°

45°

S FIRENZE 820 S CE III 220240V D 54 E27 Type of luminaire

Type of luminaire				
Type of lumianire	Accessories	Accessories		
Photometric body	Uncovered light.			
Characteristics of the luminaire	Classic design luminaire, mounted on a telescopic lighting pole. Adjustable height 19302560mm. For lighting gardens, terraces and other architectural concepts.			
General information				
Materials	Powder painted aluminum cast. Lens - clear polycarbonate, UV stabilized. Silicone gasket.			
Mounting method	Fixing of the luminaire: 3 holes ø10,5mm, on a daimeter ø240mm every 120°. Set contains: Art. 8012 - luminaire, Art. 3040 - reduction, Art. 3010 - lightning pole. Other accessories need to be purchased separately.			
Terminal	Connection terminal: max. 4x2,5mm², possibility to connect luminaire in loop max 4x2,5mm². A round wire in the isolation with a diameter of max ø612,5mm.			
Type of light source	E27 lamp			
Net / gross weight of luminaire	10,77kg / 14,15kg			
Technical data				
E27 lamp	QA55 / LED A5560			
Light source wattage	2 x MAX 57W / LED 9W			
Ta Rated temperature	+25°C			
This product contains light source	of energy efficiency o			
Possibility to order the luminaire with LED E27 Philips Master LEDbulb 806lm / 8,5W / 2700K (dimmable).				
Accessories sold separately				
108GA0009	Anchoring support.			
305ZX0009	Concreting anchor.			
306ZX0009	Ground anchor.			
46999021	LED E27 lamp.			
Recommended light sou	rces			
Osram ECO PRO Classic 57<=>75W E27		Philips ECO Classic 53<=>75W E27		
Osram LED Parathom Classic / Retrofit E27		Philips Master LEDbulb / Classic / CorePro E27		
Spare parts				
06370797	Lens.			
Files to download				
Photometric LDT files	Photometric IES files			
Manual				



Indexes		
Index	Color	RAL
820B	BLACK	9005
820W	WHITE	9003

Norlys AS P.B 1014 Hoff, 0218 Oslo Hovfaret 4B, 0275 Oslo Norway +47 24 12 40 11 firmapost@norlys.no



