

02 Recessed Spots Fixed LED>The 1W/2W LED Spots Aluminium

10103B/AL/W



1W/2W COB LED recessed spot IP20.

Requires 350mA/700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



89004A



89004AT



89004T

Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The 1W/2W LED Spots Aluminium

Order Code

10103B/AL/W

Colour

Aluminium

Material

Aluminium



Shape

Circular


Height	35mm
Diameter	42mm
Cutout Hole Diameter	35mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA/700mA
Safety Class	
Power(Watts)	1W/2W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	200lm@700mA
Light Efficiency	100lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	

Packing Info

Box Length	9cm
Box Width	6cm
Box Height	5,5cm
Box Weight	0,074kg
Pcs/Carton	100
Barcode	5291889042440
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

