www.1-light.eu

O_{LIGHT}

Product Datasheet

06 Downlights Fixed LED>The Budget Downlight Range Aluminium


10103T/W/W

3W SMD LED recessed downlight, budget range, IP20.

Complete with 250mA driver.

Complies with standard EN60598-1 and any other specific standards.





Gallery





Physical Specification

Item Group



Family

The Budget Downlight Range Aluminium

Order Code	10103T/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	35mm



Diameter	90mm	Pobrano z mamadecor.pl
Cutout Hole Diameter	68mm	
Recessed Ceiling	Yes	
Depth Required	50mm	
Indoor	Yes	
Adjustable	No	

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	9V
	\land

Safety Class	
Power(Watts)	2,5W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan



LED Number	6	Pobrano z mamadecor.pl
F Mark	F	
Gear		

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2-3W
Power Factor	0,5
Constant Current	Yes
Output	250mA
Voltage Range	8-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	210lm
Light Efficiency	70lm/W
CRI	80

Beam Angle

120°

Illumination Diagram



Packing Info

Box Length

9,5cm



Box Width	9,5cm	Pobrano z mamadecor.pl
Box Height	6cm	
Box Weight	0,125kg	
Pcs/Carton	100	
Barcode	5291889045762	
HS Code	9405409900	

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to one light!



