


02 Recessed Spots Fixed LED&gt;The Dark Light Pro Range Aluminium

**10105FD/B/W**

5W COB LED recessed spot, IP20, for general lighting applications.


Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The Dark Light Pro Range Aluminium

Order Code

10105FD/B/W

Colour

Black

Material

Aluminium

Shape



Circular

Height


95mm

Diameter	55mm
Cutout Hole Diameter	50mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

## Fitting

Input Type	Constant Current
Input Current	300mA
Voltage	14,9V
Safety Class	
Power(Watts)	4,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar

LED Number

1

Pobrano z mamadecor.pl

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

4,2-7,25W

Power Factor

0,9

Constant Current

Yes

300mA

14-24v

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Brand

LIFUD

#### Illumination Data

Colour Temperature

3000K

Lumen Output

300lm

Light Efficiency

60lm/W

CRI

80

Beam Angle

24°

Illumination Diagram



Dark Light

Yes

#### Packing Info

Box Length

9cm

Box Width

7cm

Box Height	12cm
Pcs/Carton	50
Barcode	5291889057352
HS Code	9405409900

#### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

