Product Datasheet

www.1-light.eu

02 Recessed Spots Fixed LED>The Fire Rated IP65 Range

10107DFV/W



7W COB LED Fire Rated recessed Spot, IP65 with variable CCT, 2700K-3000K-4000K.

Supplied with Triac dimmable LED driver.

Complete with white ring.

Complies with standard EN60598-1 and any other specific standards.













Downloads










Dimensions





Gallery







Related items





050178/C

Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family	The Fire Rated IP65 Range Pobrano z mamadecor.	ol
Order Code	10107DFV/W	
Colour	White	
Material	Metal	
Shape	Circular	
Height	65mm	
Diameter	78mm	
Cutout Hole Diameter	65mm	
Recessed Ceiling	Yes	
Depth Required	80mm	
Indoor	Yes	
Outdoor	Yes	
Adjustable	No	
Electrical Characteristics		
		I
Gear	Built In	
Fitting + Driver		
Input Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Safety Class		
Power(Watts)	7W	
IP Rating	IP65	
Light Source	LED built in	
Dimmable	Yes	
Dimmer type	Triac	
F Mark	F	
Fitting		
Input Type	Constant Current	

Power(Watts)	7W Pobrano z mamadecor.pl
IP Rating	IP65
Light Source	LED built in
LED Type	SMD
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Safety Class	
Output Terminal	Connector
Illumination Data	
Colour Toron arotura	27001/ 20001/ 40001/
Colour Temperature	2700K-3000K-4000K 500lm
Light Efficiency	
Light Efficiency CRI	71,42lm/W 80
Beam Angle	60°
Illumination Diagram	
Packing Info	
Packing Info	
Pcs/Carton	36
	36 5291889066248

Warranty	3 Years
Weee Directive	Yes



