

02 Recessed Spots Fixed LED>The 7W COB IP65 Range

10107P/W/W



7W COB LED recessed spot, IP65, acoustic seal, for general application.

Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A



89015AT


Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 7W COB IP65 Range
Order Code	10107P/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	83mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Outdoor	Yes
Adjustable	No


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	7W
IP Rating	IP65
Light Source	LED built in

LED Type	COB
LED Brand	Epistar
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	630lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9cm
Box Width	9cm
Box Height	9,5cm
Box Weight	0,256kg
Pcs/Carton	50
Barcode	5291889045311
HS Code	9405409900

Certification & Warranty

Warranty

5 Years

Pobrano z mamadecor.pl

Weee Directive

Yes

switch to
one light!

one
LIGHT

