

02 Recessed Spots Fixed LED>The 12W COB IP65

10112TP/W/W



12W COB LED recessed spot, IP65, for general application. Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015A

Related items



89015AT

Physical Specification



Item Group

02 Recessed Spots Fixed LED

Family	The 12W COB IP65
Order Code	10112TP/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	82mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	12W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm

Light Efficiency	91,67lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	12cm
Box Width	12cm
Box Height	8,5cm
Box Weight	0.332kg
Pcs/Carton	50
Barcode	5291889046578
HS Code	9405413990

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

