

## 02 Recessed Spots Fixed LED>The 12W COB IP65 Range

## 10112P/B/W



12W COB LED recessed spot, IP65, for general application. Suitable for bathroom installation.

Requires 700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A



89015AT


## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 12W COB IP65 Range
Order Code	10112P/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	85mm
Diameter	83mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Outdoor	Yes
Adjustable	No


## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP65
Light Source	LED built in

LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	9cm
Box Width	9cm
Box Height	10cm
Box Weight	0,326kg
Pcs/Carton	50
Barcode	5291889052432
HS Code	9405409900

## Certification &amp; Warranty

Warranty

5 Years

Pobrano z [mamadecor.pl](http://mamadecor.pl)

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

