

## 02 Recessed Spots Fixed LED>Floating Ring Range

## 10112R/B/W



12W Dark Light COB LED recessed spot with interchangeable ring.

Ring must be ordered separately.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



050162/AL



050162/B



050162/DC



050162/GL



050162/W



89015A



89015AT


## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	Floating Ring Range
Order Code	10112R/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	85mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	No


## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Epistar
LED Number	1
Cable Length	40cm
F Mark	

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	9cm
Box Width	9cm
Box Height	8,5cm
Pcs/Carton	50
Barcode	5291889061335
HS Code	9405409900

#### Certification & Warranty

Warranty

3 Years

Pobrano z mamadecor.pl

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

