

06 Downlights Fixed LED>Dark Light Downlights Aluminium

10115E/AL/C



15W LED Dark Light recessed spot IP40.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Must be ordered separately



89015A



89015AT

## Physical Specification

Item Group	06 Downlights Fixed LED
Family	Dark Light Downlights Aluminium
Order Code	10115E/AL/C
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	135mm
Diameter	139mm
Cutout Hole Diameter	125mm
Recessed Ceiling	Yes
Depth Required	150mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	15W
IP Rating	IP40
Light Source	LED built in
LED Type	COB

LED Brand

Bridgelux

Pobrano z mamadecor.pl

Cable Length

40cm

F Mark



#### Illumination Data

Colour Temperature

4000K

Lumen Output

1125lm

Light Efficiency

75lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

#### Packing Info

Box Length

16,5cm

Box Width

16,5cm

Box Height

14cm

Pcs/Carton

20

Barcode

5291889032892

HS Code

9405409900

#### Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

