

04 Recessed Spots Adjustable LED>The 1W Mini Lighter Aluminium

11102/W/W



1W LED adjustable recessed spot, mini lighter range, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004





89004T

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Lighter Aluminium
Order Code	11102/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	20mm
Diameter	52mm
Cutout Hole Diameter	45mm
Recessed Ceiling	Yes
Depth Required	30mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	1W
IP Rating	IP20
Light Source	LED built in
LED Brand	Lumileds
LED Number	1
Cable Length	40cm
F Mark	


Illumination Data

Colour Temperature	3000K
Lumen Output	60lm
Light Efficiency	60lm/W
CRI	85
Beam Angle	50°
Illumination Diagram	

Packing Info

Box Length	9cm
Box Width	6cm
Box Height	5,5cm
Box Weight	0,080kg
Pcs/Carton	100
Barcode	5291889049197
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

