

04 Recessed Spots Adjustable LED>The Dark Light Range

11103D/G/C



3W LED Dark Light Recessed adjustable spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004



89004T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Dark Light Range
Order Code	11103D/G/C
Colour	Grey
Material	Aluminium
Shape	Circular
Height	78mm
Diameter	100mm
Cutout Hole Diameter	90mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction


Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	4000K
--------------------	-------

Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	11cm
Box Width	7cm
Box Height	8,5cm
Pcs/Carton	50
Barcode	5291889032830
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

