

04 Recessed Spots Adjustable LED&gt;The COB Recessed Cylinders

11109B/W/W



9W COB LED recessed spot IP20.

Requires 500mA driver.

Complete with Black & Brass reflectors.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Must be ordered separately



89015C





89015CT


## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The COB Recessed Cylinders
Order Code	11109B/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	134mm
Diameter	136mm
Cutout Hole Diameter	120mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	500mA
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Colour Temperature	3000K
Lumen Output	675lm
Light Efficiency	75lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Weight	0.833kg
Pcs/Carton	12
Barcode	5291889068716
HS Code	9405413990

## Certification &amp; Warranty

Warranty	5 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

