

04 Recessed Spots Adjustable LED>The Interchangeable Rings Range

11107K/B/W

Aluminium



7W COB LED adjustable recessed spot with interchangeable rings.

Ring must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



050102/B



050102/BS



050102/C



050102/CU



050102/W





89015A

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The Interchangable Rings Range Aluminium
Order Code	11107K/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	73mm
Diameter	85mm
Cutout Hole Diameter	76mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	10V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	78,57lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9,5cm
Box Width	9,5cm
Box Height	8,5cm
Box Weight	0,260Kg
Pcs/Carton	30
Barcode	5291889054177
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

