

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom  
Range Die cast

## 11107WD/W/W



7W LED Dark Light Recessed adjustable spot, IP54.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A




89015AT

## Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range Die cast
Order Code	11107WD/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	83mm
Diameter	90mm
Cutout Hole Diameter	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	7W
IP Rating	IP54
Light Source	LED built in

LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

#### Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	85,7lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	10,5cm
Box Width	9,5cm
Box Height	9,5cm
Box Weight	0,310Kg
Pcs/Carton	36
Barcode	5291889050698
HS Code	9405409900

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

