

## **Product Datasheet**

www.1-light.eu

02 Recessed Spots Fixed LED>The IP65 Project Range

### 10107DL/W/W



7W COB LED recessed spot IP65.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.















Downloads










Dimensions



#### Gallery



#### Must be ordered separately



89015A



89015AT

#### Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Project Range
Order Code	10107DL/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	53mm
Cutout Hole Diameter	42mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

#### Electrical Characteristics

Fitting

LED Type

Input Type	
Input Current	
Safety Class	
Power(Watts)	
IP Rating	
Light Source	

#### **Constant Current**

700mA



7W

IP65

LED built in

COB

LED Brand	Bridgelux	Pobrano z mamadecor.pl
Cable Length	40cm	
F Mark	F	

Illumination Data	
Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	78,57lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	6,5cm
Box Width	6,5cm
Box Height	9,5cm
Box Weight	0,189kg
Pcs/Carton	50
Barcode	5291889048756
HS Code	9405409900

#### Certification & Warranty

Weee Directive

5 Years

Pobrano z mamadecor.pl

Yes

# switch to one light!

