02 Recessed Spots Fixed LED>The COB IP54 Dark Light Range

10108H/B/W

8W COB LED Dark light recessed Spot, IP54.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP54 · 90 CRI · DARK LIGHT · CE

Downloads

IES · CE

Dimensions

88mm

55mm

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB IP54 Dark Light Range
Order Code	10108H/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	55mm
Diameter	88mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes

Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	☐
Power(Watts)	8W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	200mA
Voltage	38V
Safety Class	III
Power(Watts)	7,6W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
F Mark	F

Gear

Gear Type	Led Driver

one
LIGHT

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	5-8,4W
Power Factor	0,9
Constant Current	Yes
200mA	25-42V
IP Rating	IP20
Safety Class	▢
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	75lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	50
Barcode	5291889065166
HS Code	9405409900

one

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT