

02 Recessed Spots Fixed LED&gt;The COB IP54 Dark Light Range

10108H/W/W



8W COB LED Dark light recessed Spot, IP54.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The COB IP54 Dark Light Range
Order Code	10108H/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	55mm
Diameter	88mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes

Outdoor

Yes

Pobrano z mamadecor.pl

Adjustable

No

## Electrical Characteristics

Gear

External-Included

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

8W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Input Type

Constant Current

Input Current

200mA

Voltage

38V

Safety Class



Power(Watts)

7,6W

IP Rating

IP54

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

F Mark




Gear

Gear Type

Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	5-8,4W
Power Factor	0,9
Constant Current	Yes
200mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU

#### Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	75lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Pcs/Carton	50
Barcode	5291889065135
HS Code	9405409900

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

