

13 Wall &amp; Ceiling LED&gt;The Chill Out LED Cylinders Dimmable

12107KA/W/W



7W AC LED Chill Out LED Cylinder, IP20.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Must be ordered separately



050106/B



050106/BS



050106/W

## Physical Specification

Item Group

13 Wall &amp; Ceiling LED

Family

The Chill Out LED Cylinders Dimmable

Order Code

12107KA/W/W

Colour

White

Material



Aluminium

Shape


Rectangular

Length	60mm
Width	60mm
Height	65mm
Surface Ceiling	Yes
Indoor	Yes

## Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	71,42lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	

## Packing Info

Box Length	8,5cm
Box Width	8,5cm
Box Height	8cm
Box Weight	0.340kg
Pcs/Carton	30
Barcode	5291889054320
HS Code	9405409900

#### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

