

## 14 Wall &amp; Ceiling LED&gt;LED Fashion Cylinders

## 12108C/B/W



8W COB LED Cylinder ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads





## Dimensions



## Physical Specification

Item Group	14 Wall & Ceiling LED
Family	LED Fashion Cylinders
Order Code	12108C/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	70mm
Diameter	70mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	8V
Power(Watts)	5,6W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,9-6,72W
Power Factor	0,5

Constant Current	Yes
700mA	2,7-9,6V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Kegu


#### Illumination Data

Colour Temperature	3000K
Lumen Output	520lm
Light Efficiency	65lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

#### Packing Info

Box Length	7,5cm
Box Width	7,5cm
Box Height	7,5cm
Pcs/Carton	50
Barcode	5291889059356
HS Code	9405409900

#### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

