


Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>Adjustable COB Cylinders

12108XA/W/W



Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Adjustable COB Cylinders
Order Code	12108XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	80mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	20V
Voltage	20V
Voltage Safety Class	20V
Voltage Safety Class Power(Watts)	20V

Power(Watts)	4,2-8,4W	Pobrano z mamadecor.pl
Power Factor	0,9	
Constant Current	Yes	
350mA	12-24V	
IP Rating	IP20	
Safety Class		
Housing Material	Plastic	
Brand	AlDimming	
Illumination Data		
Colour Temperature	3000K	
Lumen Output	640lm	
Light Efficiency	80lm/W	
CRI	90	
Beam Angle	36°	
Illumination Diagram		
Packing Info		
Pay Weight	0.572kg	
Box Weight	0.572kg	
Pcs/Carton	36	
Barcode	5291889064718	
HS Code	9405413990	

Certification & Warranty

Yes

Weee Directive

switch to one light!

