



Product Datasheet

New 2023 Edition 2>Wall & Ceiling LED

12112T/B/W



12W COB LED adjustable ceiling light.

Complete with black and brass reflectors.

Supplied with 500mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification


Item Group	New 2023 Edition 2
Family	Wall & Ceiling LED
Order Code	12112T/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	95mm




Diameter	80mm	Pobrano z mamadecor.pl
Recessed Ceiling	Yes	
Indoor	Yes	
Adjustable	2 Directions	

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	19V
Safety Class	
Power(Watts)	9,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6,5-9,5W
Power Factor	0,9
Constant Current	Yes
500mA	13-19V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU
Protection	Short Circuit Protection,Overload Protection,No-load Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	1080lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	20
Barcode	5291889076513
HS Code	9405413990

Warranty

5 years

switch to
one light!

one
LIGHT

