


Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>Dark Light Pro Square Cubes

12115HA/W/W



15W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Dark Light Pro Square Cubes
Order Code	12115HA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	100mm
Width	100mm
Height	120mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	40V
Vollago	
Power(Watts)	14W
Power(Watts)	14W
Power(Watts) IP Rating	14W IP20
Power(Watts) IP Rating Light Source	14W IP20 LED built in
Power(Watts) IP Rating Light Source LED Type	14W IP20 LED built in COB
Power(Watts) IP Rating Light Source LED Type	14W IP20 LED built in COB
Power(Watts) IP Rating Light Source LED Type LED Brand	14W IP20 LED built in COB
Power(Watts) IP Rating Light Source LED Type LED Brand Gear	14W IP20 LED built in COB Philips
Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear Type	IP20 LED built in COB Philips Led Driver
Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear Input Voltage	14W IP20 LED built in COB Philips Led Driver 220-240V
Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear John Source John Source	14W IP20 LED built in COB Philips Led Driver 220-240V Yes
Power(Watts) IP Rating Light Source LED Type LED Brand Gear Gear John Source Gear Gear Type Input Voltage 50 Hz 60 Hz	14W IP20 LED built in COB Philips Led Driver 220-240V Yes Yes

Constant Current	Yes Pobrano z mamadecor.pl
350mA	21-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Illumination Data	
Colour Temperature	3000K
Lumen Output	1200lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes
Packing Info	
r acking into	
Box Weight	0.632kg
Pcs/Carton	48
Barcode	5291889060932
HS Code	9405409900

Certification & Warranty

Yes

Weee Directive

switch to one light!

