

13 Wall &amp; Ceiling LED&gt;The COB LED Indoor Cylinders Aluminium

12125LA/W/W



25W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads





## Dimensions



## Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12125LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	138mm
Diameter	168mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	600mA
Voltage	40V
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Philips

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	16,2-25,2W
Power Factor	0,9

Constant Current	Yes
600mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

#### Illumination Data

Colour Temperature	3000K
Lumen Output	2100lm
Light Efficiency	84lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	

#### Packing Info

Box Weight	0.861kg
Pcs/Carton	18
Barcode	5291889044918
HS Code	9405409900

#### Certification & Warranty

Warranty	3 Years
----------	---------

switch to  
**one light!**

one  
LIGHT

