

13 Wall & Ceiling LED>Adjustable COB Cylinders

12208XA/W/W



2 x 8W Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads






Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Adjustable COB Cylinders
Order Code	12208XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	150mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x8W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	42V
Safety Class	
Power(Watts)	14,7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
LED Number	2

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	8,75-14,7W
Power Factor	0,9
Constant Current	Yes
350mA	25-42V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	AIDimming

Illumination Data

Colour Temperature	3000K
Lumen Output	2x640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Weight	0.908kg
Pcs/Carton	24
Barcode	5291889064725
HS Code	9405413990

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

