

Product Datasheet

www.1-light.eu

11 Office & Kitchen>The Office Floor Stand Range

36002/W/C



60W floor stand Dimmable LED lighting fitting with EU plug.

Complete with touch switch.
Supplied with 2x700mA drivers.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Physical Specification

Item Group	11 Office & Kitchen
Family	The Office Floor Stand Range
Order Code	36002/W/C
Colour	White
Material	Aluminium
Shape	Rectangular
Length	325mm

Width	665mm	Pobrano z mamadecor.pl
Height	2000mm	
Surface Floor/Ground	Yes	
Indoor	Yes	
Adjustable	No	
Electrical Characteristics		
Gear	Built In	
Fitting + Driver		
Input Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Safety Class		
Power(Watts)	60W	
IP Rating	IP20	
Light Source	LED built in	
Dimmable	Yes	
F Mark	F	
Fitting		
Input Type	Constant Current	
Input Current	700mA	
Voltage	36V Up 33V Down	
Power(Watts)	25,2W Up 23,1W Down	
IP Rating	IP20	
Light Source	LED built in	
LED Brand	Jufei	
Gear		
Gear Type	Led Driver	

Input Voltage	220-240V Pobrano z mamadecor.pl
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2X30W
Power Factor	0,9
Constant Current	Yes
700mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Ilumination Data	
	100016
Colour Temperature	4000K
Lumen Output	8000lm
Light Efficiency	
	133,33lm/W
CRI	133,33lm/W 80
CRI Illumination Diagram	80
CRI	
CRI Illumination Diagram	80
CRI Illumination Diagram	80
CRI Illumination Diagram UGR	80
CRI Illumination Diagram UGR	19
CRI Illumination Diagram UGR Packing Info Box Weight	80 19
CRI Illumination Diagram UGR Packing Info Box Weight Pcs/Carton	15.40kg

Warranty	3 Years
Weee Directive	Yes



