

04 Recessed Spots Adjustable LED>The 3x1W Glass Lens Spots

11103N/AL/W/35



3x1W LED glass lens adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004




89004T

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 3x1W Glass Lens Spots
Order Code	11103N/AL/W/35
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass
Shape	Circular
Height	40mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	135lm
Light Efficiency	45lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info

Pcs/Carton	100
Barcode	5291889023197
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

