

03 Recessed Spots Adjustable>The Lock Ring Range Die cast

11105C/MC

Recessed adjustable MR16 spot with GU5.3 lampholder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Lock Ring Range Die cast
Order Code	11105C/MC
Colour	Brushed Chrome
Material	Die Cast
Shape	Circular
Height	30mm
Diameter	94mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm

Illumination Data

Illumination Diagram



Packing Info

Box Length	10cm
Box Width	10cm
Box Height	5cm
Box Weight	0,113kg
Pcs/Carton	100
Barcode	5291889003168
HS Code	9405409900

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

