

11 Office &amp; Kitchen&gt;Recessed LED Linear Profiles

**38145BR/W/W**

40W UGR19 Recessed linear with 48pcs LED spots, ideal for offices.

Complete with 1000mA driver , 6pcs fixing clips, 4pcs connectors & 2pcs end cups. .

Can be connected in line

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

11 Office &amp; Kitchen

Family

Recessed LED Linear Profiles

Order Code

38145BR/W/W

Colour

White

Material

Aluminium

Shape



Rectangular

Length

1295mm

Width	50mm
Height	55mm
Cutout Hole Width	1280mm
Cutout Hole Length	37mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	38V
Power(Watts)	38W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3030

LED Brand

Osram

Pobrano z mamadecor.pl

LED Number

48

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

30-42W

Power Factor

0,9

Constant Current

Yes

1000mA

30-42V

IP Rating

IP20

Safety Class



Dimmable

No

Brand

AGT

## Illumination Data

Colour Temperature

3000K

Lumen Output

4000lm

Light Efficiency

100lm/W

CRI

90

Beam Angle

34°

Illumination Diagram



Dark Light

Yes

## Packing Info

Box Weight

1.833kg

Pcs/Carton

12

Barcode

5291889065753

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

