Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>Adjustable COB Ceiling Lights

12108XA/W/W

Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI TRIAC DIMMABLE CE

Downloads

IES

Dimensions

80mm I 80mm

100mm

Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Adjustable COB Ceiling Lights
Order Code	12108XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	80mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

one

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	▽F

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	20V
Safety Class	◇III
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

one

Power(Watts)	4,2-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	☐
Housing Material	Plastic
Brand	AIDimming

Illumination Data

Colour Temperature	3000K
Lumen Output	640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Weight	0.572kg
Pcs/Carton	36
Barcode	5291889064718
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT