

13 Wall &amp; Ceiling LED&gt;The SMD Cylinders Aluminium

12115LD/W/W



15W SMD LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads





## Dimensions




## Physical Specification

|                 |                             |
|-----------------|-----------------------------|
| Item Group      | 13 Wall & Ceiling LED       |
| Family          | The SMD Cylinders Aluminium |
| Order Code      | 12115LD/W/W                 |
| Colour          | White                       |
| Material        | Aluminium                   |
| Shape           | Circular                    |
| Height          | 125mm                       |
| Diameter        | 150mm                       |
| Surface Ceiling | Yes                         |
| Indoor          | Yes                         |
| Adjustable      | No                          |


| Gear             | Built In  |
|------------------|---|
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |    |
| Power(Watts)     | 15W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

| Fitting       |                  |
|---------------|------------------|
| Input Type    | Constant Current |
| Input Current | 350mA            |
| Voltage       | 42V              |
| Power(Watts)  | 14,7W            |
| IP Rating     | IP20             |
| Light Source  | LED built in     |
| LED Type      | SMD 2835         |
| LED Brand     | Samsung          |

| Gear          |            |
|---------------|------------|
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Power(Watts)  | 9,5-14,7W  |
| Power Factor  | 0,9        |

|                  |   |
|------------------|---|
| Constant Current | Yes   |
| 350mA            | 27-42V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |

#### Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 1280lm  |
| Light Efficiency     | 85,33lm/W   |
| CRI                  | 80  |
| Beam Angle           | 90°   |
| Illumination Diagram |  |
| Dark Light           | Yes   |

#### Packing Info

|            |               |
|------------|---------------|
| Box Weight | 0.738kg       |
| Pcs/Carton | 18            |
| Barcode    | 5291889060994 |
| HS Code    | 9405409900    |

#### Certification & Warranty

Warranty

3 Years

Pobrano z [mamadecor.pl](http://mamadecor.pl)

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

