

## 06 Downlights Fixed LED&gt;Shop Square Boxes

## 50220B/W/W



2x20W downlight LED, shop square boxes range IP20, ideal for commercial applications such as offices, galleries and showrooms.

Supplied with 500mA non-dimmable LED drivers.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions






## Physical Specification

|                    |                         |
|--------------------|-------------------------|
| Item Group         | 06 Downlights Fixed LED |
| Family             | Shop Square Boxes       |
| Order Code         | 50220B/W/W              |
| Colour             | White                   |
| Material           | Aluminium               |
| Shape              | Rectangular             |
| Length             | 210mm                   |
| Width              | 120mm                   |
| Height             | 95mm                    |
| Cutout Hole Width  | 190mm                   |
| Cutout Hole Length | 110mm                   |
| Recessed Ceiling   | Yes                     |

|                |       |
|----------------|-------|
| Depth Required | 120mm |
| Indoor         | Yes   |
| Adjustable     | No    |

## Electrical Characteristics


| Gear             | External-Included   |
|------------------|---|
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |  |
| Power(Watts)     | 2x20W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

| Fitting       |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 500mA   |
| Voltage       | 2x34,7V   |
| Safety Class  |  |
| Power(Watts)  | 2x17,35W  |
| IP Rating     | IP20  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Sanan   |

| Gear      |            |
|-----------|------------|
| Gear Type | Led Driver |

|                  |   |
|------------------|---|
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 12,5-20W  |
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 500mA            | 25-40V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |
| Brand            | Lifud   |

#### Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 2x1700lm  |
| Light Efficiency     | 85lm/W  |
| CRI                  | 80  |
| Beam Angle           | 30°   |
| Illumination Diagram |  |

#### Packing Info

|            |               |
|------------|---------------|
| Pcs/Carton | 10            |
| Barcode    | 5291889061397 |
| HS Code    | 9405409900    |

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

