

## 04 Recessed Spots Adjustable LED>Moving Inner Cylinder Range

# 51106M/W/W



6W LED recessed adjustable spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



Must be ordered separately



89008

### Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

Moving Inner Cylinder Range

Order Code

51106M/W/W

Colour

White

Material

Die Cast



Shape

Rectangular

Length	62mm
Width	62mm
Height	75mm
Cutout Hole Width	58mm
Cutout Hole Length	58mm
Recessed Ceiling	Yes
Depth Required	95mm
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	17,6V
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	540lm
Light Efficiency	90lm/W
CRI	90

Beam Angle

24°

Pobrano z mamadecor.pl

Illumination Diagram



## Packing Info

Box Length

8,5cm

Box Width

8,5cm

Box Height

10,5cm

Pcs/Carton

60

Barcode

5291889064305

HS Code

9405409900

## Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

