

04 Recessed Spots Adjustable LED>The 1W Mini Square Natural Aluminium

51401AL/W/15



4x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004





89004T

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Square Natural Aluminium
Order Code	51401AL/W/15
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Acrylic
Shape	Rectangular
Length	113mm
Width	113mm
Height	30mm
Cutout Hole Width	105mm
Cutout Hole Length	105mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	4W
IP Rating	IP20
Light Source	LED built in
LED Number	4
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	4x45lm
Light Efficiency	45lm/W
Beam Angle	15°
Illumination Diagram	

Packing Info

Pcs/Carton	50
Barcode	5291889005674
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

