

Product Datasheet

www.1-light.eu

14 Plafo>The Ultra Slim LED Panel Plafo

62018F/W/C



18W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Physical Specification

Item Group	14 Plafo
Family	The Ultra Slim LED Panel Plafo
Order Code	62018F/W/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular

Height	18mm	Pobrano z mamadecor.pl
Diameter	220mm	
Surface Ceiling	Yes	
Indoor	Yes	
Adjustable	No	
IK Rating	4	
Electrical Characteristics		
Gear	Built In	
Fitting . Driver		
Fitting + Driver		
Input Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Safety Class		
Power(Watts)	18W	
IP Rating	IP40	
Light Source	LED built in	
Dimmable	No	
F Mark	F	
Fitting		
Input Type	Constant Current	
IP Rating	IP40	
Light Source	LED built in	
LED Type	SMD 4014	
LED Brand	Sanan	
F Mark	F	
Gear		
Gear Type	Led Driver	

Input Voltage	220-240V	Pobrano z mamadecor.pl
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	18W	
Constant Current	Yes	
IP Rating	IP20	
Dimmable	No	

Illumination Data	
Colour Temperature	4000K
Lumen Output	1450lm
Light Efficiency	80,55lm/W
CRI	80
Illumination Diagram	

Packing Info	
Box Length	26,5cm
Box Width	23cm
Box Height	3cm
Box Weight	0.495kg
Pcs/Carton	20
Barcode	5291889051749
HS Code	9405413990

Yes

switch to one light!

Weee Directive

