

## 14 Plafo>The Ultra Slim LED Panel Plafo

## 62018F/W/W



18W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Physical Specification

Item Group

14 Plafo

Family

The Ultra Slim LED Panel Plafo

Order Code

62018F/W/W

Colour

White

Material

Aluminium

Diffuser Material



PC


Shape

Circular

Height	18mm
Diameter	220mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
IK Rating	4

## Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	

Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18W
Constant Current	Yes
IP Rating	IP20
Dimmable	No

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1400lm
Light Efficiency	77,78lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	26,5cm
Box Width	23cm
Box Height	3cm
Box Weight	0.495kg
Pcs/Carton	20
Barcode	5291889051756
HS Code	9405413990

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

