

# **Product Datasheet**

www.1-light.eu

### 14 Plafo>The Super Slim LED Plafo

## 62152A/W/C



40W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



#### **Physical Specification**

Item Group	14 Plafo
Family	The Super Slim LED Plafo
Order Code	62152A/W/C
Colour	White
Material	Aluminium
Shape	Rectangular
Length	620mm
Width	620mm
Height	33mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	900mA
Voltage	43V
Power(Watts)	38,7W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	27-40,5W

Power Factor	0,9 Pobrano z mamadecor.pl
Constant Current	Yes
900mA	30-45V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	3AAA
Illumination Data	
Colour Temperature	4000K
Lumen Output	2800lm
Light Efficiency	70lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Weight	6.080kg
Pcs/Carton	5
Barcode	5291889063476
HS Code	9405409900

### Certification & Warranty

Yes

Weee Directive

switch to one light!

