

New 2022 Edition 3>Downlights Fixed LED

50110CE/W

10W Downlight LED, IP20.

Complete with 250mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

New 2022 Edition 3

Family

Downlights Fixed LED

Order Code

50110CE/W

Material

Aluminium

Diffuser Material

PC

Shape



Rectangular


Length

120mm

| | |
|----------------------|------------|
| Width | 120mm |
| Height | 10mm |
| Cutout Hole Diameter | 50mm-100mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics

| | |
|------------------|---|
| Gear | External-Included |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 10W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| | |
|---------------|---|
| Fitting | |
| Input Type | Constant Current |
| Input Current | 250mA |
| Voltage | 30,7V |
| Safety Class |  |
| Power(Watts) | 7.675W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 4014 |

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

6,75-12W

Power Factor

0,85

Constant Current

Yes

250mA

27-48V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Eaglerise

Illumination Data

Colour Temperature

3000K

Lumen Output

1150lm

Light Efficiency

115lm/W

CRI

80

Illumination Diagram



Packing Info

Pcs/Carton


40

Barcode

5291889073949

HS Code

9405413990



Energy Class

D

Energy Consumption

10kWh/1000h

Certification & Warranty

Warranty

2 years

switch to
one light!

one
LIGHT

