

06 Downlights Fixed LED&gt;The SMD Dark Light Range

50122D/W/C



22W Dark Light LED Downlight .

Supplied with 500mA non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions






## Physical Specification

|                    |                          |
|--------------------|--------------------------|
| Item Group         | 06 Downlights Fixed LED  |
| Family             | The SMD Dark Light Range |
| Order Code         | 50122D/W/C               |
| Colour             | White                    |
| Material           | Die Cast                 |
| Shape              | Rectangular              |
| Length             | 170mm                    |
| Width              | 170mm                    |
| Height             | 55mm                     |
| Cutout Hole Width  | 160mm                    |
| Cutout Hole Length | 160mm                    |
| Recessed Ceiling   | Yes                      |


|                |      |
|----------------|------|
| Depth Required | 75mm |
| Indoor         | Yes  |
| Adjustable     | No   |

## Electrical Characteristics


| Gear             | External-Included   |
|------------------|---|
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |  |
| Power(Watts)     | 22W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

| Fitting       |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 500mA   |
| Voltage       | 40V   |
| Safety Class  |  |
| Power(Watts)  | 20W   |
| IP Rating     | IP20  |
| Light Source  | LED built in  |
| LED Type      | SMD 2835  |
| LED Brand     | Sanan   |

| Gear      |            |
|-----------|------------|
| Gear Type | Led Driver |

|                  |   |
|------------------|---|
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 12,5-20W  |
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 500mA            | 25-40V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Ambient Temp     | -30? ~ +50?   |
| Housing Material | Plastic   |
| Brand            | Lifud   |

## Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 4000K   |
| Lumen Output         | 1870lm  |
| Light Efficiency     | 85lm/W  |
| CRI                  | 80  |
| Beam Angle           | 100°  |
| Illumination Diagram |  |
| Dark Light           | Yes   |

## Packing Info

|            |               |
|------------|---------------|
| Pcs/Carton | 20            |
| Barcode    | 5291889060802 |
| HS Code    | 9405409900    |

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

