

09 Track Lights>The Track Floodlight Range

65042T/B/W



42W LED floodlight range track light, high lumen output ideal for shops and showrooms.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



40002A/B



40003A/B

Physical Specification

Item Group

09 Track Lights

Family

The Track Floodlight Range

Order Code	65042T/B/W
Colour	Black
Material	Die Cast
Shape	Rectangular
Length	184mm
Width	107mm
Height	255mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
------	----------

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	42W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type	Constant Current
Input Current	1200mA
Voltage	33V
Power(Watts)	39,6W
IP Rating	IP20
Light Source	LED built in

LED Type

SMD 2835

Pobrano z mamadecor.pl

LED Brand

Sanan

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

32,4-50,4W

Power Factor

0,9

Constant Current

Yes

1200mA

27-42V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Connector

Brand

Lifud

Protection

Short Circuit Protection

Illumination Data

Colour Temperature

3000K

Lumen Output

3150lm

Light Efficiency

75lm/W

CRI

80

Beam Angle

80°

Illumination Diagram



Packing Info

Box Length

30cm

Box Width	23cm
Box Height	10,5cm
Box Weight	1,9Kg
Pcs/Carton	4
Barcode	5291889043829
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

