

## 14 Plafo &gt; The LED Plafo Range Round

## 62024C/C



26W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

14 Plafo

Family

The LED Plafo Range Round

Order Code

62024C/C

Colour

White

Material

Metal

Diffuser Material



Plastic


Shape

Circular


Height	115mm
Diameter	440mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	26W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	36V
Power(Watts)	25,2W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
LED Brand	Epistar
F Mark	

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	19-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise

## Illumination Data

Colour Temperature	4000K
Lumen Output	1600lm
Light Efficiency	61,53lm/W
Illumination Diagram	

## Packing Info

Box Length	44cm
Box Width	44cm
Box Height	12,5cm
Box Weight	1.540kg
Pcs/Carton	5
Barcode	5291889036661
HS Code	9405409900

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

