

09 Track Lights>The COB Track Spot Range Aluminium

65612NT/B/W



30W track spot with COB LED, ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B




40003A/B


Physical Specification

| | |
|------------|------------------------------------|
| Item Group | 09 Track Lights |
| Family | The COB Track Spot Range Aluminium |
| Order Code | 65612NT/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 123mm |


| | |
|---------------|--------------|
| Diameter | 90mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics


| | |
|------------------|---|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 30W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

| | |
|---------------|---|
| Fitting | |
| Input Type | Constant Current |
| Input Current | 750mA |
| Voltage | 38V |
| Safety Class |  |
| Power(Watts) | 28,5W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Bridgelux |

| | |
|-----------|------------|
| Gear | |
| Gear Type | Led Driver |

| | |
|------------------|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 25-30W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 750mA | 33-40V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Lifud |
| Protection | Short Circuit Protection |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 2700lm |
| Light Efficiency | 90lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 25cm |
| Box Width | 10cm |
| Box Height | 10cm |
| Pcs/Carton | 10 |
| Barcode | 5291889057895 |
| HS Code | 9405409900 |

Certification & Warranty

Warranty

3 Years

Average Lifetime

30000 hours

Weee Directive

Yes

switch to
one light!

one
LIGHT

