

Product Datasheet

www.1-light.eu

09 Track Lights>The COB Top Box Range

65619T/W/W



38W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Related items



0742/15



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The COB Top Box Range

Order Code	65619T/W/W	Pobrano z mamadecor.pl
Colour	White	
Material	Die Cast	
Shape	Circular	
Height	130mm	
Diameter	100mm	
Track mounted	Yes	
Indoor	Yes	
Adjustable	2 Directions	
Electrical Characteristics		
Gear	Built In	

Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	38W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	

50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	38W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
	Constant Current 900mA
Input Type	
Input Type Input Current	900mA
Input Type Input Current Voltage	900mA 40V
Input Type Input Current Voltage Power(Watts)	900mA 40V 36W
Input Type Input Current Voltage Power(Watts) IP Rating	900mA 40V 36W IP20

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	27-38W
Power Factor	0,9
Constant Current	Yes
900mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Tridonic
Protection	Short Circuit Protection
Ilumination Data	
Colour Temperature	3000K
Lumen Output	3000lm
Light Efficiency	78,94lm/W
CRI	80
Beam Angle	36°
Doam Anglo	

Packing Info

Illumination Diagram

Box Length	23cm	Pobrano z mamadecor.pl
Box Width	24cm	
Box Height	12,5cm	
Box Weight	1,4kg	
Pcs/Carton	16	
Barcode	5291889050384	
HS Code	9405409900	

Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hours
Weee Directive	Yes



