

## 14 Plafo&gt;The LED Panel Plafo Round

62130F/W/W



30W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads







## Dimensions




## Physical Specification

Item Group	14 Plafo
Family	The LED Panel Plafo Round
Order Code	62130F/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	39mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	34,9V
Safety Class	
Power(Watts)	24,43W
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 2016
LED Brand	Sanan
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	18-28W
Power Factor	0,9
Constant Current	Yes
1000mA	18-28V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	KEGU

#### Illumination Data

Colour Temperature	3000K
Lumen Output	2550lm
Light Efficiency	59,9lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	32cm
Box Width	31,5cm
Box Height	4,5cm
Box Weight	1.230000kg
Pcs/Carton	10
Barcode	5291889034414
HS Code	9405413990

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

