


## **Product Datasheet**

www.1-light.eu

09 Track Lights>Dark Light Tubes Track Spots

## 65656DT/W/W



36W SMD LED track spot with, ideal for shops and showrooms.

Complete with 1000mA driver.

Complies with standard EN60598-1 and any other specific standards.









Downloads










Dimensions



## Related items







40003A/W

## **Physical Specification**

09 Track Lights
Dark Light Tubes Track Spots
65656DT/W/W
White
Aluminium
Circular
77mm

Diameter	135mm	Pobrano z mamadecor.pl
Track mounted	Yes	
Indoor	Yes	
Adjustable	2 Directions	

Electrical Characteristics	
lectifical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	36W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	34V
Safety Class	
Power(Watts)	34W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Osram
LED Number	6

Gear

Gear Type	Led Driver	Pobrano z mamadecor.pl
Input Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	27-40W	
Power Factor	0,9	
Constant Current	Yes	
1000mA	27-40V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Housing Material	Plastic	
Output Terminal	Connector	
Brand	KEGU	
Illumination Data		
	3000K	
Colour Temperature	3000K	
Colour Temperature  Lumen Output	2880lm	
Colour Temperature  Lumen Output  Light Efficiency	2880lm 80lm/W	
Colour Temperature  Lumen Output  Light Efficiency  CRI	2880lm 80lm/W 90	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	2880lm 80lm/W 90 40°	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	2880lm 80lm/W 90 40°	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	2880lm 80lm/W 90 40°	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	2880lm 80lm/W 90 40°	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	2880lm 80lm/W 90 40°	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light	2880lm 80lm/W 90 40°	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info	2880lm  80lm/W  90  40°  Yes	
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Pcs/Carton	2880lm  80lm/W  90  40°  Yes	

Warranty	3 Years
Weee Directive	Yes



